熠卉光电
YIHUI

公司地址：上海市青浦区华隆路1777号E通世界华新园E幢3A02室
工厂地址：江苏省昆山市锦溪镇锦东路843号
总机：021-69760372
传真：021-69760375
邮箱：info@yh-lighting.cn
网址：www.yh-lighting.cn

Office : Room 3A02, Building E, Huaxin Park of E Link World, No.1777, Hualong Road, Huaxin Town, Qingpu District, Shanghai.
Factory : No. 843, Jindong Road, Jinxi Town, Kunshan City, Jiangsu.
Tel: 021-69760372
Fax: 021-69760375
E-mail: info@yh-lighting.cn
Web: www.yh-lighting.cn

上海熠卉光电科技有限公司

SHANGHAI YIHUI PHOTOELECTRIC TECHNOLOGY CO., LTD.

YH-LIGHTING

以客户为根本
以质量求生存
以创新求发展

提供优质LED节能环保产品方案

公司简介

上海熠卉光电科技有限公司成立于2013年，是一家集研发、生产、销售为一体的LED系列节能环保型产品的综合性高新技术企业。公司办公地点位于交通便捷的上海青浦商务园区，工厂设立在环境幽雅的苏州昆山，占地面积达3000平方米。经过短短几年的潜心经营，公司引进了先进的生产设备、专业的技术研发团队、标准化的生产作业平台。

熠卉光电专业生产导光板、LED发光板、超薄灯箱系列、LED背光源、LED照明、标识标牌制作等系列产品，具有节能环保、高亮均匀、超长寿命，安全耐用等鲜明特性。产品涉及车载照明，工业仪器背光，医疗设备、装饰照明、摄影、绘画等多种行业领域。我们可以根据客户不同的设计需求，提供定制化的服务及应用解决方案，从选定优质供应商到生产环节的每一个工艺程序进行严格管控、品质保证、服务完善来满足OEM、ODM以及终端客户的产品需求。公司产品具备各种出口的认证资质，远销海外等多个发达国家。

熠卉秉承“以客户为根本，以质量求生存，以创新求发展”的经营理念，携手熠卉人同进步同发展，以市场为导向，与时俱进，持续创新。我们愿与合作的客户和厂商共创双赢！



Company Profile

Established in 2013, Shanghai Yihui Photoelectric Technology Co., Ltd. is a comprehensive high-tech enterprise integrating research&development, production and sales which focuses on producing energy-saving and environment-friendly LED products. Our company office is located in Qingpu business park of Shanghai which has convenient traffic; while our factory, that covers more than 3000 square meters in area, is in Jinxi town, Kunshan City of Jiangsu with beautiful environment.

Yihui has introduced advanced production equipment, professional technology R&D teams and standardized production work platform within only several years' concentrated business.

Yihui specializes in producing LGP, LED light panel, slim light box, LED backlight, LED lighting and logo signs with distinctive characteristics of energy conservation, environment protection, high brightness, long life, safety and durability. Products are related to vehicle lighting, industrial instruments backlight, medical equipment, home lighting, photography, painting and other fields.

We can offer customized services and application solutions to meet product demands of OEM, ODM and end clients. Every step from selecting high-quality suppliers to production process is carried out strict control, quality assurance and advanced services. With all kinds of export certificates, our company's products are exported to overseas markets.

Adhering to the management idea of customer-oriented, quality for survival and innovation for growth, Yihui makes common progress and development with employees, attaches importance to market orientation, always keeps up with times and seeks sustained development. We are willing to create a win-win situation with our customers and manufacturers.




企业文化

企业理念

【经营宗旨】：以市场为导向，不断强化核心竞争力，与时俱进，持续创新；以客户成功为己任，实现客户，企业和员工的价值最大化。

【经营理念】：以客户为根本，以质量求生存，以创新求发展。

【质量方针】：品质稳定，持续改进，客户满意。

【服务理念】：用我们的专业，真诚沟通，诚信服务；始于客户需求，终于客户满意。

【人才理念】：唯才是用，以德为先，德才并举，奋发向上 。

【管理理念】：以人为本，以文化为核心，以制度做保障，共同成长发展。

企业精神

【务实】：严谨认真，诚信务实，对工作，对客户认真负责。

【创新】：掌握市场趋向，积极探索，不断创新。

【快速】：对市场和客户需求快速响应，保持高度的行动力和执行力。

【求强】：强化核心竞争力，做到产品强、技术强、管理强、竞争力强。

共同价值观

诚信务实、合作共赢、创新发展、团队合作。

Corporate Culture

Corporate Concept

Business Concept: insist on market-orientation, strengthen core competitive ability, keep paces with times and seek sustainable innovation; be responsible for customer's success, maximize value for customers, employees and company.

Business Philosophy: customer-oriented, quality for survival, innovation for growth.

Quality Policy: stable quality, continuous improvement, customer satisfaction.

Service Concept: make sincere communication and offer faithful service with our profession; start with customer demand, end with customer satisfaction.

Talent Concept: select nobody but talents, ethic takes precedence, ethic and ability develop simultaneously, strive for growth.

Management Concept: adhere to people-oriented, take culture as the core, take system as safeguard, and achieve common growth and development.

Corporate Spirit

Pragmatism: be rigorous and careful, be honest and pragmatic, responsible for work and customers.

Innovation: hold the trend of market, make active exploration and continuous innovation.

Rapidity: make quick responses to market and customer's demand, and keep a high degree of action and execution.

Prosperity: strengthen the core competitiveness, to achieve the goal of strong products, strong technology, strong management and strong competitiveness.

Common Values

Integrity and pragmatic, win-win cooperation, innovation and development, teamwork.

产品目录
Products Contents



P01-03
导光板
Light Guide Plate



P04-10
发光板
LED Light Panel

P11-21
铝框灯箱
Aluminum Frame Light Box

P22-29
卡布灯箱
Fabric Light Box

P30-33
磁吸灯箱
Magnetic Light Box

P34-40
水晶灯箱
Crystal Light Box

P41
导光板配件
Accessory of LGP



P42-45
灯条
LED Strips



P46
适配器
Adapter

【概念】

导光板是光源传播的一种介质，以光学级PMMA亚克力为基材，采用高端的3D激光雕刻工艺，通过数控电脑计算设计排布，在亚克力的底面加工激光网点或雕刻网线，当光源从侧面进入导光板射到点或线时，反射光会往各个角度扩散，然后再漫反射到导光板表面，利用疏密度排列分布不同的网点或网格，使导光板整面均匀发光。导光板是将侧光源转化成面光源的高科技产品，具有超薄高亮、光线均匀柔和、节能环保、外形定制，安装简便等鲜明特点。

【Concept】

Light guide plate (LGP) is a transmission medium of light. It takes the brand-new optical grade PMMA as base material, adopts the most advanced 3D laser engraving processing technology, makes the processing of laser dotted and engraved on the bottom of acrylic through computer numerical control design and calculation. When the light source enters into dots or lines of LGP, the reflected light will spread to all angles, then diffuse to the surface of LGP. It makes light evenly by means of density to arrange the distribution of dots and lines. LGP is a kind of high-tech product that turns spot or line light source into plane light source with distinctive characteristics of ultra thin and super bright type, even and soft light, energy saving and environmental protection, shape customization, easy installation and so on.

【使用原理图 Use Principle Diagram】



Laser-dotting Diagram

激光打点示意图



Engraving and Scribing Diagram

雕刻划线示意图



导光板加工工艺对比 Comparison of LGP Processing Technology			
对比项目 Contrastive Items	丝网印刷导光板 Silkscreen Printing LGP	激光雕刻导光板 Laser-engraving LGP	机器雕刻 V-Cutting导光板 Machine-engraving V-cutting LGP
反射单元 Reflective Unit	油墨印刷平面点 Ink Printing Plane Point	凹点 Dots	V型线槽 V-type Trunking
反射材料 Reflective Material	亚克力表面的化学材料 Chemical Material on the Acrylic Surface	激光气化网点 Dots by Laser Gasification	钻石刀切割线槽 V-cutting Trunking
防紫外线 UV Protection	否 No	是 Yes	是 Yes
亮度对比 Brightness Contrast	——	比丝印导光板亮30% +30%	比丝印导光板亮25% +25%
尺寸误差 Size Tolerance	1mm	0.1mm	0.1mm
使用寿命 Service Life	2-3年 2-3 years	7-8年 7-8 years	7-8年 7-8 years
适用范围 Application Scope	室内 Indoor	室内、室外 Indoor/Outdoor	室内、室外 Indoor/Outdoor

【加工机器幅面尺寸】 【Machine Processing Dimension】



雕刻V-cutting机器幅面
Engraving V-cutting Machine Dimension



激光雕刻机器幅面
Laser-engraving Machine Dimension

【特点说明】

1、最薄可达1.5mm,正常使用厚度为2mm-10mm;

2、利用漫反射原理，光转换率高，光线均匀柔和，安全环保；

3、使用全新料的PMMA光学级亚克力为基材，确保产品品质的一致稳定性；

4、与传统同等面积的光源相比节能60%以上；

5、产品尺寸可任意定制，可定制平面异形，可热弯加工。

【Features】

1. The thinnest LGP is only 1.5 mm, normal thickness is 2-10 mm.
2. Utilize diffuse reflection principle, high light conversion rate, even and soft light, safety and environmental protection.
3. Adopt brand-new optical grade PMMA as base material, ensure uniform stability of product quality.
4. Save more than 60% of energy compared with the same amount of traditional light source.
5. Size and shape of products can be customized. Hot bending process is also permitted.

【概念】

LED发光板是将导光板与LED灯条完美组合形成超薄超亮的LED背光源产品，与传统的CCFL及EL背光源相比，LED背光源具有亮度高、色纯度高、寿命长、适应性强、可靠性好、成本低、易于产业化等多种优点，随着技术的发展，LED发光板将成为最为理想的背光源产品。超薄特性极大限度的提升了空间利用，美化环境，拓宽应用范围，且可随意设计边框和所需要的产品外形，更具灵活性。它具有亮度高、发光均匀、照明角度大、可调、高效率、低功耗、寿命长、轻且薄等鲜明特性。

【Concept】

LED light panel is the ultra-thin and bright LED backlight product that combines LGP and LED strip. Compared with traditional CCFL and EL, LED backlight has the advantages of high brightness, high color purity, long life, strong adaptability, low cost and easy to industrialization. With the development of technology, LED light panel has become the most ideal backlight products. Its ultra-thin feature improves space utilization to a great extent,beautify the environment and broaden application scope; also, it is more flexible which can design outer frame and shape of products freely.It has distinctive characteristics of high brightness, uniform luminance, light and thin, long life, high efficiency and low energy consumption.

【特点说明】

★匀光：光线均匀、柔和、不刺眼、无炫光；

★环保：启动快，无频闪，无噪声；无电磁辐射，对人体无害；

★稳定：使用高亮度低衰减的LED光源，优质的散热铝框保证产品的稳定性和使用寿命；

★节能：发光效率高，功耗低，与传统同等面积的光源相比节能60%以上；

★便捷：安装简单快捷，有效的提高了工作效率，节省人工、节省时间、节约成本。

【Features】

★Uniform luminance: even and soft light, no dazzle, no glare.

★Environmental protection: instant start, no flash, no noise; no electromagnetic radiation and no harm to human.

★Stability: use high brightness and low attenuation LED light source, high grade cooling aluminum frame to ensure the stability and service life of products.

★Energy conservation: high light efficiency and low power consumption, save more than 60% of energy compared with the same amount of traditional light source.

★Installation: easy and quick installation, improve working efficiency effectively, save manual labor, installation time and costs.





【无框发光板】

无框发光板，超薄5mm，光线均匀；

嵌入式安装方式，方便快捷；

LED光源，直流DC12V，节能环保；

适用中小尺寸，可定制；

激光雕刻导光板，LED光源，适配器。

【Frameless LED Light Panel】

Ultra slim, only 5mm thick, even and uniform light

Embedded installation, easy and convenient

LED light source, DC12V,

energy saving and environmental protection

Small and medium size, customization accepted

LGP, LED light source, adapter





产品型号 Item		外框尺寸 Frame Size（mm）	可视尺寸 Viewing Size（mm）	电压 Voltage (V)	功率 Power（W）	
					RL-12V-2835 11W/m	PL-12V-2835 16W/m
无框发光板(单面) Frameless LED Light Panel (Single-sided)	A0	1189*841	1169*821	DC12V	26.2	38
	A1	841*594	821*574		18.5	26.9
	A2	594*420	574*400		13.1	19
	A3	420*297	400*277		9.2	13.4
	A4	297*210	277*190		6.5	9.5
	B1	1000*707	980*687		22	32
	B2	707*500	687*480		15.6	22.6
	B3	500*350	480*330		11	16

【AF0710单面发光板】

发光板外径厚7mm，面宽10mm；

LED光源，直流电压12V，节能环保；

嵌入式安装，方便快捷；

适用中小尺寸，可定制；

专用散热铝材、激光雕刻导光板、LED光源、适配器。

【AF0710 Single-sided LED Light Panel】

7mm thick, 10mm wide

LED light source, DC12V, energy saving and environmental protection

Embedded installation, easy and convenient

Small and medium size, customization accepted

Special aluminum, LGP, LED light source, adapter



产品型号 Item		外框尺寸 Frame Size （mm）	可视尺寸 Viewing Size （mm）	电压 Voltage (V)	功率 Power（W）	
					RL-12V-2835 11W/m	PL-12V-2835 16W/m
AF0710 (单面) (Single -sided)	A0	1189*841	1169*821	DC12V	26.2	38
	A1	841*594	821*574		18.5	26.9
	A2	594*420	574*400		13.1	19
	A3	420*297	400*277		9.2	13.4
	A4	297*210	277*190		6.5	9.5
	B1	1000*707	980*687		22	32
	B2	707*500	687*480		15.6	22.6
	B3	500*350	480*330		11	16

【AF0808单面发光板】

发光板外径厚8mm，面宽8mm；

LED光源，电压DC12V/24V，节能环保；

嵌入式安装，方便快捷；

适用中小尺寸，可定制；

专用散热铝材、激光雕刻导光板、LED光源、适配器。

【AF0808 Single-sided LED Light Panel】

8mm thick, 8mm wide

LED light source, DC12V/24V, energy saving and environmental protection

Embedded installation, easy and convenient

Small and medium size, customization accepted

Special aluminum, LGP, LED light source, adapter





产品型号 Item		外框尺寸 Frame Size （mm）	可视尺寸 Viewing Size （mm）	电压 Voltage (V)	功率 Power（W）		
					RL-12V-2835 11W/m	PL-12V-2835 16W/m	AL-24V-2835 20W/m
AF0808 (单面) (Single -sided)	A0	1189*841	1173*825	DC12V/ DC24V	26.2	38	47.6
	A1	841*594	825*578		18.5	26.9	33.6
	A2	594*420	578*404		13.1	19	23.8
	A3	420*297	404*281		9.2	13.4	16.8
	A4	297*210	281*194		6.5	9.5	11.9
	B1	1000*707	984*691		22	32	40
	B2	707*500	691*484		15.6	22.6	28.3
	B3	500*350	484*334		11	16	20

【AF1013单面发光板】

发光板外径厚10mm，面宽13mm；

LED光源，电压DC12V/24V，节能环保；

嵌入式安装，方便快捷；

适用中小尺寸，可定制；

专用散热铝材、激光雕刻导光板、LED光源、适配器。

【AF1013 Single-sided LED Light Panel】

10mm thick, 13mm wide

LED light source, DC12V/24V, energy saving and environmental protection

Embedded installation, easy and convenient

Small and medium size, customization accepted

Special aluminum, LGP, LED light source, adapter





产品型号 Item		外框尺寸 Frame Size （mm）	可视尺寸 Viewing Size （mm）	电压 Voltage (V)	功率 Power（W）		
					PL-12V-2835 16W/m	AL-24V-2835 20W/m	AL-24V-2835 31W/m
AF1013 (单面) (Single -sided)	A0	1189*841	1163*815	DC12V/ DC24V	38	47.6	73.7
	A1	841*594	815*568		26.9	33.6	52.1
	A2	594*420	568*394		19	23.8	36.8
	A3	420*297	394*271		13.4	16.8	26
	A4	297*210	271*184		9.5	11.9	18.4
	B1	1000*707	974*681		32	40	62
	B2	707*500	681*474		22.6	28.3	43.8
	B3	500*350	474*324		16	20	31

【AF1515单面发光板】

发光板外径厚15mm，面宽15mm；

LED光源，电压DC12V/24V，节能环保；

嵌入式安装，方便快捷；

适用大中尺寸，可定制；

专用散热铝材、激光雕刻导光板、LED光源、适配器。

【AF1515 Single-sided LED Light Panel】

15mm thick, 15mm wide

LED light source, DC12V/24V, energy saving and environmental protection

Embedded installation, easy and convenient

Medium and large size, customization accepted

Special aluminum, LGP, LED light source, adapter





产品型号 Item		外框尺寸 Frame Size （mm）	可视尺寸 Viewing Size （mm）	电压 Voltage (V)	功率 Power（W）		
					PL-12V-2835 16W/m	AL-24V-2835 20W/m	AL-24V-2835 31W/m
AF1515 (单面) (Single-sided)		2400*1200	2370*1170	DC12V/ DC24V	76.8	96	148.8
		1800*1200	1770*1170		57.6	72	111.6
	A0	1189*841	1159*811		38	47.6	73.7
	A1	841*594	811*564		26.9	33.6	52.1
	B1	1000*707	970*677		32	40	62
	B2	707*500	677*470		22.6	28.3	43.8

【DF1515双面发光板】

双面发光板，总厚15mm，面宽15mm；

LED光源，电压DC12V/24V，节能环保；

嵌入式安装，方便快捷；

适用中小尺寸，可定制；

专用散热铝材、激光雕刻导光板、LED光源、适配器。

【DF1515 Double-sided LED Light Panel】

15mm thick, 15mm wide

LED light source, DC12V/24V, energy saving and environmental protection

Embedded installation, easy and convenient

Small and medium size, customization accepted

Special aluminum, LGP, LED light source, adapter



产品型号 Item		外框尺寸 Frame Size （mm）	可视尺寸 Viewing Size （mm）	电压 Voltage (V)	功率 Power（W）		
					PL-12V-2835 16W/m	AL-24V-2835 20W/m	AL-24V-2835 31W/m
DF1515 (双面) (Double-sided)	A0	1189*841	1159*811	DC12V/ DC24V	38	47.6	73.7
	A1	841*594	811*564		26.9	33.6	52.1
	A2	594*420	564*390		9.5	23.8	36.8
	A3	420*297	390*267		13.4	16.8	26
	B1	1000*707	970*677		32	40	62
	B2	707*500	677*470		22.6	28.3	43.8

【其它发光板】

超薄高亮，光线均匀柔和，不刺眼、无眩光；

启动快，无频闪，无噪声；

低电压LED光源，无电磁辐射；

发光效率高，低功耗，节能环保；

安装简捷，省工，省时，省成本；

产品尺寸及外形可随意定制，满足不同的设计需求。

【Other LED Light Panel】

Ultra thin and super bright, even and soft light, no dazzle, no glare;

Instant start, no flash, no noise;

Low-voltage LED light source, no electromagnetic radiation;

High luminous efficiency, low power consumption, energy saving and environmental protection;

Easy and quick installation, save manual labor, installation time and costs;

Size and shape of products can be customized to meet different design requirements.

异形发光板
Special-shaped LED Light Panel

异形发光板（枫叶）
Special-shaped LED Light Panel (Maple Leaf)

透明发光板
Transparent LED Light Panel

图形发光板
Graphic LED Light Panel



雕刻图形发光板
Engraving graphic LED Light Panel

超薄灯箱

Slim Light Box

【概念】

将光导技术与雕刻技术相结合的高科技灯箱产品，使用LED灯条作为光源，并采用铝合金外框材料制作而成的一种多功能新型灯箱。借鉴液晶电视的背光技术，研发出的一种新型广告载体，超薄美观，高效节能，光线柔和，亮度均匀悦目。

【Concept】

Slim light box is a high-tech light box product that combines light guiding technology and laser engraving technology. It is a new type of multifunctional light box which uses LED strips as light source and aluminum as outer frame. As a new kind of advertising medium that enlightened by the LCD backlight technology, it has distinctive features with ultra-thin and beautiful appearance, high efficiency, energy conservation, soft light and uniform brightness

【特点说明】

★超薄：仅为传统灯箱厚度的1/4，经济美观

★节能：比同等面积的传统灯箱使用更少光源，省电达60%以上

★匀光：变线光源为面光源，光照度更均匀、更柔和

★方便：快速开启设计，更换灯片更简单、更快捷

★环保：95%以上材料可再回收利用

【Features】

★Ultra-thin: only 1/4 as thick as traditional light box, economical and beautiful

★Energy saving: save more than 60% of energy compared with the same amount of traditional light box

★Uniform light:turn line light source into plane light source, more uniform and softer light, more comfortable visual effect

★Convenience:design of instant start, change pictures more easily and conveniently

★Environmental protection: more than 95% of materials can be recycled



1. 上盖 Upper cover
2. 面板 Front panel
3. 导光板 LGP
4. 反光膜 Reflective film
5. 光源 Light source
6. 散热片 Heat sink
7. 螺丝 Screw
8. 基座 Base
9. DC端子 DC plug
10. 适配器 Adapter

【规格分类】【Classification】

铝框灯箱系列 Aluminum frame Light Box Series

A01920、A01525、A03035、A02523、A02035、A02627、A04060、D02835 D02823 医用视力表 （Medical Visual Chart Light Box）

卡布灯箱系列 Fabric Light Box Series

AF1702、AF3302、AF6502、AP4002、AF8002、AR8002、AP8002、DF9002

磁吸灯箱系列 Magnetic Light Box Series

AM1438、AM2130、AM2018、AM2020

水晶灯箱系列 Crystal Light Box Series

CSL-01、CSM-01、CSM-02、CSM-02S串联式（Series-type）、CDL-01、CDM-01、CDM-01S串联式（Series-type）

铝框灯箱

Aluminum Frame Light Box

【A01920单面翻盖式灯箱】

外　框：厚度19mm 面宽20mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小型（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：翻开四边铝材上盖，取下透明面板，更换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器

【AO1920 Single-sided Snap Frame Light Box】

Outer frame:19mm thick, 20mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Lift the front panel to change pictures by opening the upper cover

Structure: Aluminum, LGP, LED strips, adapter

1.Upper Cover 上盖
2.Base 底座
3.Shrapnel 弹片
4.LED Strip LED 灯条
5.Front Plate 面板
6.LGP 导光板
7.Back Panel 背板



型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AO1920 (单面) (Single-sided)	A0	1214*866	1174*826	19	1189*841	1320*950*80	0.1	11.9
	A1	866*619	826*579		841*594	970*770*80	0.06	6.8
	A2	619*445	579*405		594*420	720*520*80	0.03	3.5
	A3	445*322	405*282		420*297	550*400*80	0.02	2.2
	A4	322*235	282*195		297*210	450*300*80	0.01	1.6
	B1	1025*732	985*692		1000*707	1150*800*80	0.07	9.1
	B2	732*525	692*485		707*500	830*700*80	0.05	4.9
	B3	525*375	485*335		500*350	630*450*80	0.02	2.8

铝框灯箱

Aluminum Frame Light Box

【A01525单面翻盖式圆角灯箱】

外　框：厚度15mm，面宽25mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小型（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：翻开四边铝材上盖，取下透明面板，更换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器

【AO1525 Single-sided Snap Frame Round Corner Light Box】

Outer frame: 15mm thick, 25mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Lift the front panel to change pictures by opening the upper cover

Structure: Aluminum, LGP, LED strips, adapter



型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-A01525 (单面) (Single-sided)	A1	867*620	817*570	15	841*594	970*770*80	0.06	6.2
	A2	620*446	570*396		594*420	720*520*80	0.03	3.7
	A3	446*323	396*273		420*297	550*400*80	0.02	2.2
	A4	323*236	273*186		297*210	450*300*80	0.01	1.3
	B1	1026*733	976*683		1000*707	1150*800*80	0.08	7.9
	B2	733*526	683*476		707*500	830*700*80	0.05	4.7
	B3	526*376	476*326		500*350	630*450*80	0.02	2.7

Aluminum Frame Light Box

铝框灯箱

【A03035单面翻盖式灯箱】

外　框：厚度30mm，面宽35mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：大中型（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：翻开四边铝材上盖，取下透明面板，更换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器

【AO3035 Single-sided Snap Frame Light Box】

Outer frame: 30mm thick, 35mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Large and middle size (can be customized)

Color: Silver (can be customized)

Change pictures: Lift the front panel to change pictures by opening the upper cover

Structure:Aluminum, LGP, LED strips, adapter



型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AO3035 (单面) (Single-sided)	-	2400*1200	2330*1130	30	2360*1150	2500*1300*80	0.26	37.9
	-	1800*1200	1730*1130		1760*1150	1900*1300*80	0.2	29.2
	A0	1229*891	1159*821		1189*841	1320*950*80	0.11	13.1
	A1	881*644	811*574		841*594	970*770*80	0.06	7.9
	A2	634*470	564*400		594*420	720*520*80	0.03	4.4
	B0	1454*1050	1384*980		1414*1000	1550*1150*80	0.16	21.1
	B1	1040*757	970*687		1000*707	1150*800*80	0.1	10.0
	B2	747*550	677*480		707*500	830*700*80	0.05	5.0

【A02523单面翻盖式灯箱】

外　框：厚度25mm 面宽23mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小型（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：翻开四边铝材上盖，取下透明面板，更换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器

【AO2523 Single-sided Snap Frame Light Box】

Outer frame: 25mm thick, 23mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Lift the front panel to change pictures by opening the upper cover

Structure: Aluminum, LGP, LED strips, adapter



型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-A02523 (单面) (Single-sided)	A0	1224*876	1178*830	25	1189*841	1320*950*80	0.11	13.1
	A1	876*629	830*583		841*594	970*770*80	0.06	7.9
	A2	629*455	583*409		594*420	720*520*80	0.03	4.4
	A3	455*332	409*286		420*297	550*400*80	0.02	2.7
	A4	332*245	286*199		297*210	450*300*80	0.01	1.7
	B1	1035*742	989*696		1000*707	1150*800*80	0.08	10
	B2	742*535	696*489		707*500	830*700*80	0.05	5.6
	B3	535*385	489*339		500*350	630*450*80	0.02	3.3

【A02035单面平盖翻盖式灯箱】

外　框：厚度20mm 面宽35mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小型（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：翻开四边铝材上盖，取下透明面板，更换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器

【AO2035 Single-sided Flat Snap Frame Light Box】

Outer frame: 20mm thick, 35mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Lift the front panel to change pictures by opening the upper cover

Structure: Aluminum, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-A02035 (单面) (Single-sided)	A0	1237*889	1167*819	20	1189*841	1320*950*80	0.1	13.3
	A1	889*642	819*572		841*594	970*770*80	0.06	8.1
	A2	642*468	572*398		594*420	720*520*80	0.03	4.5
	A3	468*345	398*275		420*297	550*400*80	0.02	3.9
	B0	1462*1048	1392*978		1414*1000	1550*1150*80	0.14	21.4
	B1	1048*755	978*685		1000*707	1150*800*80	0.08	10.2
	B2	755*548	685*478		707*500	830*700*80	0.05	5.7

铝框灯箱

Aluminum Frame Light Box

【A02627单面弧形翻盖式灯箱】

外　框：厚度26mm，面宽27mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小型（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：翻开四边铝材上盖，取下透明面板，更换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器



【AO2627 Single-sided Arc Snap Frame Light Box】

Outer frame: 26mm thick, 27mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Lift the front panel to change pictures by opening the upper cover

Structure: Aluminum, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-A02627 （单面） (Single-sided)	A0	1234*886	1180*832	26	1189*841	1320*950*80	0.11	13.3
	A1	886*639	832*585		841*594	970*770*80	0.06	8.0
	A2	639*465	585*411		594*420	720*520*80	0.03	4.5
	A3	465*342	411*288		420*297	550*400*80	0.02	3.8
	B0	1459*1045	1405*991		1414*1000	1550*1150*80	0.14	17.7
	B1	1045*752	991*698		1000*707	1150*800*80	0.07	9.1
	B2	752*545	698*491		707*500	830*700*80	0.05	5.7

Aluminum Frame Light Box

铝框灯箱

【A04060单面翻盖式灯箱】

外　框：厚度40mm，面宽60mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：大型（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：翻开四边铝材上盖，取下透明面板，更换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器



【AO4060 Single-sided Snap Frame Light Box】

Outer frame: 40mm thick, 60mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Large size (can be customized)

Color: Silver (can be customized)

Change pictures: Lift the front panel to change pictures by opening the upper cover

Structure: Aluminum, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-A04060 （单面） (Single-sided)		3000*1500	2880*1380	40	2905*1416	3100*1600*80	0.4	58.4
		2400*1200	2280*1080		2305*1116	2500*1300*80	0.26	39.1
		1800*1200	1680*1080		1705*1116	1900*1300*80	0.2	30.2
	A0	1284*925	1164*805		1189*841	1320*950*80	0.11	14.5
	A1	936*678	816*558		594*841	970*770*80	0.06	8.9
	B0	1509*1084	1389*964		1414*1000	1550*1150*80	0.14	23
	B1	1095*791	975*671		1000*707	1150*800*80	0.08	11.3

铝框灯箱

Aluminum Frame Light Box

【D02835双面翻盖式灯箱】

外　框：厚度28mm　面宽35mm

安　装：悬挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小型（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：翻开四边铝材上盖，取下透明面板，更换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器



【DO2835 Double-sided Snap Frame Light Box】

Outer frame: 28mm thick, 35mm wide

Installation: Hanging type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Lift the front panel to change pictures by opening the upper cover

Structure: Aluminum, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-D02835 (双面) (Double-sided)	A0	1229*891	1159*821	28	1189*841	1320*950*80	0.11	19.1
	A1	881*644	811*574		841*594	970*770*80	0.06	9.6
	A2	634*470	564*400		594*420	720*520*80	0.03	5.7
	A3	460*347	390*277		420*297	550*400*80	0.02	3.2
	B1	1040*757	970*687		1000*707	1150*800*80	0.08	12.3
	B2	747*550	677*480		707*500	830*700*80	0.05	6.2

Aluminum Frame Light Box

铝框灯箱

【D02823双面翻盖式灯箱】

外　框：厚度28mm　面宽23mm

安　装：悬挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小型（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：翻开四边铝材上盖，取下透明面板，更换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器



【DO2823 Double-sided Snap Frame Light Box】

Outer frame: 28mm thick, 23mm wide

Installation: Hanging type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Lift the front panel to change pictures by opening the upper cover

Structure: Aluminum, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-D02823 (双面) (Double-sided)	A0	1224*876	1178*830	28	1189*841	1320*950*80	0.11	19.2
	A1	876*629	830*583		841*594	970*770*80	0.06	9.7
	A2	629*455	583*409		594*420	720*520*80	0.03	5.8
	A3	455*332	409*286		420*297	550*400*80	0.02	3.3
	A4	332*245	286*199		297*210	450*300*80	0.01	2.1
	B1	1035*742	989*696		1000*707	1150*800*80	0.07	12.4
	B2	742*535	696*489		707*500	830*700*80	0.05	6.5
	B3	535*385	489*339		500*350	630*450*80	0.03	3.7

铝框灯箱 Aluminum Frame Light Box

【医用视力表灯箱】

外　框：铝合金边框，超薄超轻，安装移动方便

安　装：壁挂式，方便快捷

光　源：LED

电　压：光线亮度均匀柔和，

使每个视角的明暗对比度一致，视标制作精确

电　流：电流小，发热较少，不产生安全隐患

颜　色：铝本色银（其他颜色可定做）

换　画：翻开灯箱四边铝材上盖，更换视力表面板

结　构：灯箱铝材、激光导光板、LED光源、适配器

【Medical Visual Chart Light Box】

Outer frame:Aluminum frame, ultra thin and super light,

easy to install and remove

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: Even and soft light, make brightness contrast of all visual angles

consistent and visual marks accurate

Current: Low electric current, less heat, no hidden safety risks

Color: Silver (can be customized)

Change pictures: Change the visual chart by opening the upper cover

Structure: Aluminum, LGP, LED strips, adapter

型号 Item	外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
医用视力表 Medical Visual Chart Light Box	930*280	860*210	30	906*256	1030*350*80	0.03	4.5
	650*280	580*210		626*256	750*350*80	0.02	3.3

卡布灯箱 Fabric Light Box

【AF1702单面卡布灯箱】

外　框：厚度17mm，宽度2mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小尺寸（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：独特胶条卡布方式，正面安装换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器

【AF1702 Single-sided Fabric Light Box】

Outer frame: 17mm thick, 2mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Easy to change pictures with rubber strips

Structure: Aluminum, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AF1702 (单面) (Single-sided)	A0	1189*841	1184*836	17	1209*861	1320*950*80	0.1	11.5
	A1	841*594	836*589		614*861	970*770*80	0.06	6.5
	A2	594*420	589*415		614*440	720*520*80	0.03	3.3
	A3	420*297	415*292		440*317	550*400*80	0.02	2.1
	A4	297*210	292*205		317*230	450*300*80	0.01	1.2
	B1	1000*707	995*702		1020*727	1150*800*80	0.07	8.7
	B2	707*500	702*495		727*520	830*700*80	0.05	4.6
	B3	500*350	495*345		520*370	630*450*80	0.02	2.6

卡布灯箱

Fabric Light Box

【AF3302单面卡布灯箱】

外　框：厚度33mm，宽度2mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：所有尺寸（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：独特胶条卡布方式，正面安装换画面

结　构：灯箱铝材、激光导光板、LED光源、适配器

【AF3302 Single-sided Fabric Light Box】

Outer frame: 33mm thick, 2mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: All sizes (can be customized)

Color: Silver (can be customized)

Change pictures: Easy to change pictures with rubber strips

Structure: Aluminum, LGP, LED Strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AF3302 (单面) (Single-sided)	-	2400*1200	2395*1195	33	2420*1220	2500*1300*80	0.26	34.2
	-	1800*1200	1795*1195		1820*1220	1900*1300*80	0.2	28.9
	A0	1189*841	1184*836		1209*861	1320*950*80	0.11	12.1
	A1	841*594	836*589		861*614	970*770*80	0.06	7.0
	A2	594*420	589*415		614*440	720*520*80	0.03	3.6
	A3	420*297	415*292		440*317	550*400*80	0.02	2.3
	B0	1414*1000	1409*995		1434*1020	1550*1150*80	0.15	19.7
	B1	1000*707	995*702		1020*727	1150*800*80	0.08	9.2
	B2	707*500	702*495		727*520	830*700*80	0.05	5.4

Fabric Light Box

卡布灯箱

【AF6502单面背光源卡布灯箱】

外　框：厚度65mm，宽度2mm

安　装：壁挂式，方便快捷

光　源：LED漫反射灯

电　压：12V

尺　寸：大中尺寸（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：独特胶条卡布方式，正面安装轻松换画面

结　构：灯箱铝材、LED漫反射灯、适配器，

【AF6502 Single-sided Back-lit Fabric Light Box】

Outer frame: 65mm thick, 2mm wide

Installation: Wall-mounted type, easy and convenience

Light source: LED

Voltage: 12V

Size: Large and middle size (can be customized)

Color: Silver (can be customized)

Change pictures: Easy to change pictures with rubber strips

Structure: Aluminum, LED Strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AF6502 （单面背光源） (Single-sided)	-	3000*1500	2995*1495	65	3020*1520	3100*1600*100	0.50	41.80
	-	2400*1200	2395*1195		2420*1220	2500*1300*100	0.33	29.30
	-	1800*1200	1795*1195		1820*1220	1900*1300*100	0.25	22.40
	A0	1189*841	1184*836		1209*861	1320*950*100	0.13	12.40
	A1	841*594	836*589		861*614	970*770*100	0.07	7.70
	A2	594*420	589*415		614*440	720*520*100	0.04	4.80
	B0	1414*1000	1409*995		1434*1020	1550*1150*100	0.18	16.00
	B1	1000*707	995*702		1020*727	1150*800*100	0.09	9.80
	B2	707*500	702*495		727*520	830*700*100	0.06	6.10

卡布灯箱

Fabric Light Box

【AP4002单面背光源卡布灯箱】

外　框：厚度40mm，宽度2mm

安　装：壁挂式，方便快捷

光　源：LED漫反射灯

电　压：12V

尺　寸：中小尺寸（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：独特胶条卡布方式，正面安装轻松换画面

结　构：灯箱铝材、LED漫反射灯、适配器

【AP4002 Single-sided Back-lit Fabric Light Box】

Outer frame: 40mm thick, 2mm wide

Installation: Wall-mounted type, easy and convenience

Light source: LED

Voltage: 12V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Easy to change pictures with rubber strips

Structure: Aluminum, LED Strips, adapter



型号 Item	外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	单边尺寸 Edge size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AP4002（六边形背光源）(Hexagon)	600*600	595*595	300	40	620*620	700*700*80	0.04	4.6
	800*800	795*795	400		820*820	900*900*80	0.06	7.4
	1000*1000	995*995	500		1020*1020	1100*1100*80	0.1	10.6
	1200*1200	1195*1195	600		1220*1220	1300*1300*80	0.15	14.4

Fabric Light Box

卡布灯箱

【AF8002单面侧光源卡布灯箱】

外　框：厚度80mm，宽度2mm

安　装：壁挂式，方便快捷

光　源：LED透镜灯

电　压：12V

尺　寸：大中尺寸（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：独特胶条卡布方式，正面安装换画面

结　构：灯箱铝材、LED透镜灯、适配器

【AF8002 Single-sided Edge-lit Fabric Light Box】

Outer frame: 80mm thick, 2mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V

Size: Large and middle size (can be customized)

Color: Silver (can be customized)

Change pictures: Easy to change pictures with rubber strips

Structure: Aluminum, LED Strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AF8002（单面侧光源）(Single-sided)	-	3000*1500	2995*1495	80	3020*1520	3100*1600*120	0.6	46.7
	-	2400*1200	2395*1195		2420*1220	2500*1300*120	0.39	34.6
	-	1800*1200	1795*1195		1820*1220	1900*1300*120	0.3	25.5
	A0	1189*841	1184*836		1209*861	1320*950*120	0.15	14.8
	A1	841*594	836*589		861*614	970*770*120	0.09	9.5
	B0	1414*1000	1409*995		1434*1020	1550*1150*120	0.21	19.60
	B1	1000*707	995*702		1020*727	1150*800*120	0.11	12.1

卡布灯箱

Fabric Light Box

【AR8002单面侧光源卡布灯箱】

外　框：厚度80mm，宽度2mm

安　装：壁挂式，方便快捷

光　源：LED透镜灯

电　压：12V

尺　寸：中小尺寸（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：独特胶条卡布方式，正面安装轻松换画面

结　构：灯箱铝材、LED透镜灯、适配器

【AR8002 Single-sided Edge-lit Fabric Light Box】

Outer frame: 80mm thick, 2mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V

Size: Middle and small size (can be customized)

Color: Silver (can be customized)

Change pictures: Easy to change pictures with rubber strips

Structure: Aluminum, LED Strips, adapter

型号 Item	外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume/m3	毛重 Gross weight/Kg
YH-AR8002（圆形侧光源）(Round)	Φ400	Φ395	80	Φ420	500*500*120	0.03	4.2
	Φ500	Φ495		Φ520	600*600*120	0.04	5.3
	Φ600	Φ595		Φ620	700*700*120	0.06	7.1
	Φ800	Φ795		Φ820	900*900*120	0.11	9.6
	Φ1000	Φ995		Φ1020	1100*1100*120	0.15	12.8

Fabric Light Box

卡布灯箱

【AP8002单面侧光源卡布灯箱】

外　框：厚度80mm，宽度2mm

安　装：壁挂式，方便快捷

光　源：LED透镜灯

电　压：12V

尺　寸：大中尺寸（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：独特胶条卡布方式，正面安装轻松换画面

结　构：灯箱铝材、LED透镜灯、适配器

【AP8002 Single-sided Edge-lit Fabric Light Box】

Outer frame: 80mm thick, 2mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V

Size: Large and middle size (can be customized)

Color: Silver (can be customized)

Change pictures: Easy to change pictures with rubber strips

Structure: Aluminum, LED Strips, adapter



型号 Item	外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	单边尺寸 Edge size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AP8002（六边形侧光源）(Hexagon)	600*600	595*595	300	80	620*620	700*700*120	0.04	6.6
	800*800	795*795	400		820*820	900*900*120	0.06	9.2
	1000*1000	995*995	500		1020*1020	1100*1100*120	0.15	12.7
	1200*1200	1195*1195	600		1220*1220	1300*1300*120	0.2	16.8

卡布灯箱 Fabric Light Box

【DF9002双面侧光源卡布灯箱】

外　框：厚度90mm，宽度2mm

安　装：悬挂式，方便快捷

光　源：LED透镜灯

电　压：12V

尺　寸：大中尺寸（可定制）

颜　色：铝本色银（其他颜色可定做）

换　画：独特胶条卡布方式，正面安装轻松换画面

结　构：灯箱铝材、LED透镜灯、适配器

【DF9002 Double-sided Edge-lit Fabric Light Box】

Outer frame: 90mm thick, 2mm wide

Installation: Hanging type, easy and convenience

Light source: LED

Voltage: 12V

Size: All sizes (can be customized)

Color: Silver (can be customized)

Change pictures: Easy to change pictures with rubber strips

Structure: Aluminum, LED Strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-DF9002（双面侧光源）(Double-sided)	-	3000*1500	2995*1495	90	3020*1520	3100*1600*150	0.75	33.4
	-	2400*1200	2395*1195		2420*1220	2500*1300*150	0.49	26.9
	-	1800*1200	1795*1195		1820*1220	1900*1300*150	0.37	20.2
	A0	1189*841	1184*836		1209*861	1320*950*150	0.19	13.1
	A1	841*594	836*589		861*614	970*770*150	0.11	9.1
	B0	1414*1000	1409*995		1434*1020	1550*1150*150	0.27	16.5
	B1	1000*707	995*702		1020*727	1150*800*150	0.14	11.2

磁吸灯箱 Magnetic Light Box

【AM1438单面磁吸灯箱】

外　框：厚度14mm，宽度38mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小型（可定制）

换　画：磁吸式，吸盘拉开面板，更换画面

颜　色：铝本色银，面板印刷黑色（其他颜色可定做）

结　构：灯箱铝材、激光导光板、LED灯条、适配器

【AM1438 Single-sided Magnetic Light Box】

Outer frame: 14mm thick, 38mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Change pictures: Magnetic style, open the panel to change pictures with a sucker

Color: Silver aluminum frame, black panel(can be customized)

Structure: Aluminum, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AM1438（单面）(Single-sided)	A0	1245*897	1169*821	14	1189*841	1320*950*80	0.1	16.4
	A1	897*650	821*574		841*594	970*770*80	0.06	9.5
	A2	650*476	574*400		594*420	720*520*80	0.03	4.7
	A3	476*353	400*277		420*297	550*400*80	0.02	2.8
	B1	1056*763	980*687		1000*707	1150*800*80	0.07	12.4
	B2	763*556	687*480		707*500	830*700*80	0.05	6.2

磁吸灯箱

Magnetic Light Box

【AM2130单面磁吸灯箱】

外　框：厚度21mm，宽度30mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V/24V

尺　寸：中小型（可定制）

换　画：磁吸式，吸盘拉开面板，更换画面

颜　色：铝本色银，面板印刷黑色（其他颜色可定做）

结　构：灯箱铝材、激光导光板、LED灯条、适配器

【AM2130 Single-sided Magnetic Light Box】

Outer frame: 21mm thick, 30mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V/24V

Size: Middle and small size (can be customized)

Change pictures: Magnetic style, open the panel to change pictures with a sucker

Color: Silver aluminum frame, black panel(can be customized)

Structure: Aluminum, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-AM2130（单面）(Single-sided)	A0	1213*865	1153*805	21	1189*841	1320*950*80	0.1	16.1
	A1	865*618	805*558		841*594	970*770*80	0.06	9.2
	A2	618*444	558*384		594*420	720*520*80	0.03	4.6
	A3	444*321	384*261		420*297	550*400*80	0.02	2.5
	B0	1438*1024	1378*964		1414*1000	1550*1150*80	0.14	21.8
	B1	1024*731	964*671		1000*707	1150*800*80	0.07	12.2
	B2	731*524	671*464		707*500	830*700*80	0.05	6.1

Magnetic Light Box 磁吸灯箱

【AM2018分体式磁吸灯箱】

外　框：厚度20mm，宽度18mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V

尺　寸：标准尺寸

颜　色：铝框特制银色和金色可选

换　画：磁吸式，吸盘拉开面板，更换画面

结　构：灯箱铝材、激光导光板、LED灯条、内置变压器

【AM2018 Separated Type Magnetic Light Box】

Outer frame: 20mm thick, 18mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V

Size: Standard size

Color: Gold or silver

Change pictures: Magnetic style, open the panel to change pictures with a sucker

Structure: Aluminum, LGP, LED strips, built-in transformer

型号 Item	外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	功率 Power (W)
YH-AM2018（单面）(Single-sided)	500*400	464*364	20	480*380	10.5
	600*400	564*364		580*380	12.6
	700*500	664*464		680*480	21
	800*600	764*564		780*580	28.8
	900*600	864*564		880*580	32.5

磁吸灯箱

Magnetic Light Box

【AM2020整体式磁吸灯箱】

外　框：厚度20mm，宽度20mm

安　装：壁挂式，方便快捷

光　源：LED

电　压：12V

尺　寸：标准尺寸

颜　色：特制黑色铝框

换　画：磁吸式，吸盘拉开面板，更换画面

结　构：灯箱铝材、激光导光板、LED灯条、内置变压器

【AM2020 Integral Type Magnetic Light Box】

Outer frame: 20mm thick, 20mm wide

Installation: Wall-mounted type, easy and convenient

Light source: LED

Voltage: 12V

Size: Standard size

Color: Black

Change pictures: Magnetic style, open the panel to change pictures with a sucker

Structure: Aluminum, LGP, LED strips, built-in transforme

型号 Item	外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	功率 Power (W)
YH-AM2020（单面）(Single-sided)	400*300	360*260	20	368*269	10
	400*400	360*360		368*369	10
	500*400	460*360		468*369	13
	600*400	560*360		568*369	16
	600*500	560*460		568*469	16
	700*500	660*460		668*469	19
	800*600	760*560		768*569	22
	900*600	860*560		868*569	25
	1200*600	1160*560		1168*569	35
	1200*800	1160*760		1168*769	35

水晶灯箱

Crystal Light Box

【CSL-01水晶灯箱】

单面水晶灯箱

壁挂式安装，简单快捷

LED光源，电压DC12V

面板印刷黑色（其他颜色可定制）

拆卸广告钉即可更换画面

透明面板、激光导光板、LED光源、适配器

【CSL-01 Crystal Light Box】

Single-sided Crystal Light Box

Wall-mounted installation, easy and convenient

LED light source, DC12V

Black panel(can be customized)

Remove advertising nails to change pictures

Transparent front panel, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-CSL-01（单面）(Single-sided)	A0	1279*931	1179*831	12	1189*841	1380*1000*70	0.11	21.2
	A1	931*684	831*584	12	841*594	1030*750*70	0.05	12.1
	A2	684*510	584*410	9	594*420	780*580*70	0.03	5.7
	A3	510*387	410*287	9	420*297	600*450*70	0.02	3.5
	A4	387*300	287*200	9	297*210	500*380*70	0.01	2.5
	B1	1090*797	990*697	12	1000*707	1200*880*70	0.07	16.1
	B2	797*590	697*490	12	707*500	900*660*70	0.04	9.1
	B3	590*440	490*340	9	500*350	700*500*70	0.02	4.3

水晶灯箱

Crystal Light Box

【CSM-01磁吸水晶灯箱】

单面磁吸式水晶灯箱

壁挂式安装，简单快捷

LED光源，电压DC12V

面板印刷黑色（其他颜色可定制）

用吸盘拉开面板即可更换画面

透明面板、激光导光板、LED光源、适配器

【CSM-01 Magnetic Crystal Light Box】

Single-sided Magnetic Crystal Light Box

Wall-mounted installation, easy and convenient

LED light source, DC12V

Black panel(can be customized)

Open the front panel to change pictures with a sucker

Transparent front panel, LGP, LED strips, adapter



型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-CSM-01 (单面) (Single-sided)	A0	1239*881	1179*831	12	1189*841	1380*1000*70	0.11	19.6
	A1	891*634	831*584	12	841*594	1030*750*70	0.06	10.9
	A2	644*460	584*410	9	594*420	780*580*70	0.03	5.2
	A3	470*337	410*287	9	420*297	600*450*70	0.02	3.1
	A4	347*250	287*200	9	297*210	500*380*70	0.02	2.1
	B1	1050*747	990*697	12	1000*707	1200*880*70	0.08	14.7
	B2	757*540	697*490	9	707*500	900*660*70	0.04	6.6
	B3	550*390	490*340	9	500*350	700*500*70	0.03	3.8

Crystal Light Box 水晶灯箱

【CSM-02磁吸水晶灯箱】

单面磁吸式水晶灯箱

壁挂式安装，适合中小尺寸

LED光源，电压DC12V

面板印刷黑色（其他颜色可定制）

用吸盘拉开面板即可更换画面

透明面板、激光导光板、LED光源、适配器

【CSM-02 Magnetic Crystal Light Box】

Single-sided Magnetic Crystal Light Box

Wall-mounted installation, suitable for middle and small size

LED light source, DC12V

Black panel(can be customized)

Open the front panel to change pictures with a sucker

Transparent front panel, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-CSM-02 (单面) (Single-sided)	A1	921*674	831*584	11	841*594	1030*750*70	0.06	11.2
	A2	674*500	584*410	9	594*420	780*580*70	0.04	5.7
	A3	500*377	410*287	8	420*297	600*450*70	0.02	3.3
	A4	377*290	287*200	8	297*210	500*380*70	0.02	2.3
	B2	787*580	697*490	9	707*500	900*660*70	0.05	7.4
	B3	580*430	490*340	8	500*350	700*500*70	0.03	4.1

【CSM-02S串联式水晶灯箱】

单面串联式磁吸水晶灯箱

悬挂式安装，适合小尺寸

LED光源，电压DC12V

面板印刷黑色（其他颜色可定制）

用吸盘拉开面板即可更换画面

透明面板、激光导光板、LED光源、适配器

【CSM-02S Series-type Crystal Light Box】

Single-sided Series-type Magnetic Crystal Light Box

Hanging installation, suitable for small size

LED light source, DC12V

Black panel(can be customized)

Open the front panel to change pictures with a sucker

Transparent front panel, LGP, LED strips, adapter



型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-CSM-02S（单面串联式）(Single-sided Series-type)	A3-2PCS	500*377	410*287	8	420*297	600*450*70	0.02	7.1
	A3-3PCS	500*377	410*287	8	420*297	600*450*70	0.02	9.7
	A3-4PCS	500*377	410*287	8	420*297	600*450*70	0.02	12.3
	A4-2PCS	377*290	287*200	8	297*210	500*380*70	0.02	5.2
	A4-3PCS	377*290	287*200	8	297*210	500*380*70	0.02	7.1
	A4-4PCS	377*290	287*200	8	297*210	500*380*70	0.02	8.9

【CDL-01水晶灯箱】

双面水晶灯箱

悬挂式安装，简单快捷

LED光源，电压DC12V

面板印刷黑色（其他颜色可定制）

拆卸广告钉即可更换画面

透明面板、激光导光板、LED光源、适配器

【CDL-01 Crystal Light Box】

Double-sided Crystal Light Box

Hanging installation, easy and convenient

LED light source, DC12V

Black panel(can be customized)

Remove advertising nails to change pictures

Transparent front panel, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-CDL-01（双面）(Double-sided)	A1	931*684	831*584	14	841*594	1030*750*70	0.06	14.1
	A2	684*510	584*410	12	594*420	780*580*70	0.03	7.5
	A3	510*387	410*287	12	420*297	600*450*70	0.02	4.9
	A4	387*300	287*200	12	297*210	500*380*70	0.01	3.3
	B1	1090*797	990*697	14	1000*707	1200*880*70	0.07	18.8
	B2	797*590	697*490	12	707*500	900*660*70	0.05	9.7
	B3	590*440	490*340	12	500*350	700*500*70	0.02	5.9

【CDM-01磁吸水晶灯箱】

双面磁吸式水晶灯箱

悬挂式安装，适合中小尺寸

LED光源，电压DC12V

面板印刷黑色（其他颜色可定制）

用吸盘拉开面板即可更换画面

透明面板、激光导光板、LED光源、适配器

【CDM-01 Magnetic Crystal Light Box】

Double-sided Magnetic Crystal Light Box

Hanging installation, suitable for middle and small size

LED light source, DC12V

Black panel(can be customized)

Open the front panel to change pictures with a sucker

Transparent front panel, LGP, LED strips, adapter



型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-CDM-01 （双面） (Double-sided)	A1	921*674	831*584	14	841*594	1030*750*70	0.05	13.8
	A2	674*500	584*410	12	594*420	780*580*70	0.03	6.9
	A3	500*377	410*287	10	420*297	600*450*70	0.02	3.8
	A4	377*290	287*200	10	297*210	500*380*70	0.01	2.6
	B1	1080*787	990*697	14	1000*707	1200*880*70	0.07	18.2
	B2	787*580	697*490	12	707*500	900*660*70	0.04	9.1
	B3	580*430	490*340	10	500*350	700*500*70	0.02	4.6

【CDM-01S串联式水晶灯箱】

双面串联式磁吸水晶灯箱

悬挂式安装，适合小尺寸

LED光源，电压DC12V

面板印刷黑色（其他颜色可定制）

用吸盘拉开面板即可更换画面

透明面板、激光导光板、LED光源、适配器

【CDM-01S Series-type Crystal Light Box】

Double-sided Series-type Magnetic Crystal Light Box

Hanging installation, suitable for small size

LED light source, DC12V

Black panel(can be customized)

Open the front panel to change pictures with a sucker

Transparent front panel, LGP, LED strips, adapter

型号 Item		外框尺寸 Frame size /mm	可视尺寸 Viewing size /mm	厚度 Thickness /mm	画面尺寸 FilmSize /mm	包装尺寸 Packing size /mm	体积 Volume /m3	毛重 Gross weight/Kg
YH-CDM-01S (双面串联式) (Double-sided series-type)	A3-2PCS	500*377	410*287	10	420*297	600*450*70	0.02	8.5
	A3-3PCS	500*377	410*287	10	420*297	600*450*70	0.02	11.6
	A3-4PCS	500*377	410*287	10	420*297	600*450*70	0.02	14.8
	A4-2PCS	377*290	287*200	10	297*210	500*380*70	0.01	6.1
	A4-3PCS	377*290	287*200	10	297*210	500*380*70	0.01	8.3
	A4-4PCS	377*290	287*200	10	297*210	500*380*70	0.01	10.5

导光板配件

Accessory of LGP

【反光膜说明】 贴于导光板背面起反光作用，减少光源损耗，提高亮度。

【Reflective Sheet】 Paste on the back of LGP to reflect light, lower light loss and increase brightness.

配件名称 Item	型号 Type	规格 Specification		颜色 Color	单位 Unit	产品图 Picture
		厚度/mm Thickness	宽度/mm Width			
反光膜 Reflective sheet	RS-250	0.25	1150	白色 white	平方/m2	
	RS-188	0.188	1150	白色偏薄 White		

【扩散膜说明】 贴于导光板表面起到匀光作用，使导光板表面光线均匀、柔和。

【Diffusion Sheet】 Paste on the surface of LGP to acquire uniform light and make light even and soft.

配件名称 Item	型号 Type	规格 Specification		颜色 Color	单位 Unit	产品图 Picture
		厚度/mm Thickness	宽度/mm Width			
扩散膜 Diffusion Sheet	DS-100	0.1	1000	白色 White	平方/m2	
	DS-75	0.075	1000	白色 White		

【遮光胶带说明】 粘贴在导光板不放灯的侧边，有遮光作用，防止漏光。

【Shading Tape】 Paste on the side of LGP without lamps to prevent light leak.

配件名称 Item	型号 Type	规格 Specification		颜色 Color	单位 Unit	产品图 Picture
		长度/mm Length	宽度/mm Width			
遮光胶带 Shading Tape	AT-10	50	10	银色 Silver	卷/volume	
	AT-16	50	16	银色 Silver		
	AT-30	50	30	银色 Silver		

【扩散板说明】 用于导光板表面或背光源表面起匀光作用，使表面光线均匀、柔和。

【Diffusion Plate】 Paste on the surface of LGP or backlight to play the role of uniform light and make light even and soft.

配件名称 Item	型号 Type	材质 Material	规 格 Specification /mm	单位 Unit	产品图 Picture
扩散板 Diffusion Plate		PMMA	1250*2470*2	片 Piece	
		PC	1220*2440*1		
		PC	1220*2440*1.5		
		PC	1220*2440*2		

LED 灯条

LED Strips

【LED硬灯条特点】

- ★ 采用高光效大芯片2835灯珠；
- ★ 高导热铝基板，散热更直接；
- ★ 光衰小，低电耗，免维护，品质稳定；
- ★ 有多种颜色可供选择；
- ★ DC12V/DC24V低电压供电，使用安全；
- ★ 背面特定导热双面胶，安装固定方便；
- ★ 每3灯或7灯配有可剪焊盘，便于剪断或连接，不影响其他部分灯条正常使用。

【Features of Rigid LED Strips】

- ★ Use 2835 LED chip with high luminous efficiency;
- ★ High thermal conductivity aluminum substrate, better heat dissipation;
- ★ Small light failure, low power consumption, no maintenance and stable quality;
- ★ Be available in multiple colors;
- ★ DC12V/24V low power supply, safe in use;
- ★ Special heat conduction double sided adhesive tape pasted on the back, easy and convenient to install and fix;
- ★ Every 3 led or 7 led is equipped with cuttable pad, easy to cut or connect, do not affect the normal use of other parts of light strip;

PL-12V-2835-90

AL-12V-2835-84

AL-24V-2835-175

灯条型号 Type		线路板长度 Length (mm)	线路板宽度 Width (mm)	灯珠型号 Lamp Type	LED数量 Qty （PCS）	流明值 Lumen (Lm)	色温值 Color Temperature (K)	电压 Voltage （V）	单颗灯功率 Power （W）
PCB硬灯条 Rigid LED strips	PL-12V-2835-90	1000	4	2835	90	14~15	2800-11000	12	0.15
铝基板灯条 Aluminum Board LED Strips	AL-12V-2835-84	1000	6	2835	84	22~25	2800-11000	12	0.20
	AL-12V-2835-84	1000	6	2835	84	22~25	2800-11000	24	0.20
	AL-12V-2835-175	1000	8	2835	175	14~15	2800-11000	24	0.15

【LED软灯条特点】

★ 采用高亮度，低光衰SMD贴片灯珠；

★ 柔性FPC基板，弯折性好，易于成型；

★ 压降小，级联长，免维护，品质稳定；

★ 有多种颜色可供选择；

★ DC12V低电压供电，使用安全；

★ 背面3M双面胶，安装固定方便；

★ 每3灯配有可剪焊盘，便于剪断或连接，不影响其他部分灯条正常使用。

【Features of Flexible LED Strips】

★ Use SMD LED chips with high brightness, low light failure;

★ Adopt flexible FPC substrate, bending freely and easy to shape;

★ Low pressure drop, long cascade, no maintenance and stable quality.

★ Be available in multiple colors;

★ DC12Vlow power supply, safe in use;

★ 3M double sided adhesive tape pasted on the back, easy and convenient to install and fix;

★ Every 3 led is equipped with cuttable pad, easy to cut or connect, do not affect the normal use of other parts of light strip.

RL-12V-2835-90

RGB-12V-5050-60

RGBW-12V-5050-60

灯条型号 Type		线路板长度 Length (mm)	线路板宽度 Width (mm)	灯珠型号 Lamp Type	LED数量 Qty（PCS）	流明值 Lumen (Lm)	色温值 Color Temperature (K)	电压 Voltage（V）	单颗灯功率 Power（W）
软灯条 Flexible LED Strips	RL-12V-2835-90	1000	4	2835	90	8~10	2800-11000	12	0.10
	RL-12V-2835-90	1000	5	2835	90	10~12	2800-11000	12	0.12
	RGB-12V-5050-60	1000	8	5050	60	20~25	RGB	12	0.24
	RGBW-12V-5050-60	1000	10	5050	60	20~25	RGBW	12	0.24

【LED漫反射灯条特点】

★ 采用大功率，宽角度，低光衰SMD 3030灯珠；

★ 175度大角度发光透镜，适用5-12cm背光源灯箱，发光均匀；

★ 1.6mm厚高导热铝基板，散热更直接，品质稳定；

★ 每颗灯配有可剪焊盘，独立工作，利用率高；

★ 防水设计，防护等级IP65；

★ DC12V低电压供电，使用安全，免维护；

★ 锁螺丝或背面导热胶固定，安装简便。

【Features of LED Diffuse Reflection Strips】

★ Use SMD 3030 LED chips with high power, wide angle and low light failure;

★ 175°wide light-emitting angle, suitable for 5-12cm back-lit light box, uniform luminance;

★ 1.6mm thick high thermal conductivity aluminum substrate, good heat dissipation, steady in grade;

★ Every 1 led is equipped with cuttable pad, work independently and have high utilization rate;

★ Waterproof design, IP65 protection standard;

★ DC12Vlow power supply, safe in use;

★ Lock screws or paste heat conductivity adhesive to fix, easy installation.



AL-12V-3030-12

WAL-12V-3030-12

灯条型号 Type		线路板长度 Length (mm)	线路板宽度 Width (mm)	线路板厚度 Thickness (mm)	灯珠型号 Lamp Type	LED数量 Qty（PCS）	流明值 Lumen (Lm)	色温值 Color Temperature (K)	电压 Voltage（V）	单颗灯功率 Power（W）
LED漫反射灯条 LED diffuse reflection strips	AL-12V-3030-12	990	18	7	3030	12	100	13000-15000	12	1.0
LED 防水漫反射灯条 LED waterproof diffuse reflection strips	WAL-12V-3030-12	1030	21	17	3030	12	100	13000-15000	12	1.0

LED 灯条

LED Strips

【LED透镜灯条特点】

- ★ 采用大功率，低光衰SMD贴片3030灯珠；
- ★ 特制二次配光技术，20*45度小角度光学透镜；
- ★ 适用于8-20cm单面和双面侧光源灯箱，光效均匀；
- ★ 1.6mm厚高导热铝基板，散热更直接，品质稳定；
- ★ 每颗灯配有可剪焊盘，独立工作，利用率高；
- ★ 防水设计，防护等级IP65；
- ★ DC12V低电压供电，使用安全，免维护；
- ★ 锁螺丝或背面导热胶固定，安装简便。

【Features of LED Lens Strips】

- ★ Use SMD 3030 LED chips with high power, low light failure;
- ★ Special secondary light distribution technology, 20*45°small-angle optical lens;
- ★ Suitable for 8-20cm single sided and double sided edge-lit light box, uniform luminance;
- ★ 1.6mm thick high thermal conductivity aluminum substrate, good heat dissipation, steady in grade;
- ★ Every 1 led is equipped with cuttable pad, work independently and have high utilization rate;
- ★ Waterproof design, IP65 protection standard;
- ★ DC12Vlow power supply, safe in use;
- ★ Lock screws or paste heat conductivity adhesive to fix, easy installation.

AL-12V-3030-18


AL-12V-3030-18

WAL-12V-3030-18

WAL-12V-3030-18

灯条型号 Type		线路板长度 Length (mm)	线路板宽度 Width (mm)	线路板厚度 Thickness (mm)	灯珠型号 Lamp Type	LED数量 Qty （PCS）	流明值 Lumen (Lm)	色温值 Color Temperature (K)	电压 Voltage （V）	单颗灯功率 Power （W）
LED透镜灯条 LED Lens strip	AL-12V-3030-18	990	25	16	3030	18	120	13000-15000	12	1.5
LED防水透镜灯条 LED waterproof lens strip	WAL-12V-3030-18	1030	28	26	3030	18	120	13000-15000	12	1.5

适配器

Adapter

【适配器图例】【Adapter】

AD-12-12-UL

AD-24-12-CE

AD-24-12-BSI

AD-36-12

AD-48-12

AD-60-12

AD-120-12

AD-144-24

【适配器参数表】【Parameter】

产品型号 Type	产品认证 Certification	尺寸 Size (mm)	重量 Weight （KG）	交流电压 AC(V)	负载功率 Load Power (≤W)	直流电压 DC(V)	电流 Current （A）
AD-12-12	CE/UL/ SAA	78*48*28	0.1	100-240	12	12	1
AD-24-12		78*50*33	0.12		24	12	2
AD-36-12		128*48*30	0.22		36	12	3
AD-48-12		128*48*30	0.22		48	12	4
AD-60-12		120*60*38	0.3		60	12	5
AD-72-12		120*60*38	0.3		72	12	6
AD-120-12		164*62*38	0.5		120	12	10
AD-24-24	CE/UL/ SAA	80*50*34	0.16	100-240	24	24	1
AD-48-24		123*49*30	0.38		48	24	2
AD-72-24		123*60*38	0.48		72	24	3
AD-96-24		199*98*37	0.48		96	24	4
AD-144-24		208*103*40	0.48		144	24	6
AD-400-24		215*115*50	1		400	24	16.6

【世界各国插头规格】【World Plug Standard】